




Flora
INew England, New York,
and adjacent Canada.

By know harson







1. Chemotis 1. Vinginiana, L. N.S. on. B. to Our. (M. 7.)

- 2. ochrolenca, Ait.
- 3. verheilario, DE. N.B(7). hear quebec to Out. [M.) .-

Viorna, L.

2. Ausmone 1. parvitore, My. las. to Aug. and Parpet (M.)

2. multifida, DC. N. B. and Gaspé, wistood (M.7.)

3. eylindrica, Gray. Q. to ottava (U.)-

4. Virginiana, 2. N.B. and haspe, motors. (M. 7.)

J. Pennsylvanica, L. N.S. and Gaspi, wistood. (M.F.)

b. memorosa, L. N. B. and Paspe, vistoral (M. 7.)

3. Hepatica 1. Wiloba, Chaix. N.S. and N.B. to near Quebec, mostward. (M.

2. ambilota, De. near gube to our. (M.)

4. In a bella Malietroides, Spack. Muar N. Falls, o Pelu do. (M.) -

5. Thalichrum 10 dioreum, L. N. B. and haspe, westward. (M. 7.)

2. Jeblygamen, Muhl, lab. to Newsj. and. N.S., motor (M.F.)

3. purpurascens, L. Q. toour. (11.)

4. alpinum, L. Ansicosti and Sung. (M.)

Adonis autumnalis, h.

b. Rammenders Ficaria, l.

- 1. circinatus, Sibth.
- 2. agratilis, L. C.B., N.B. and w. (M.7.) -
- 3. Cymbalaria, Pursh. N.S. and Gaspi, w. (M.7.)
- 4. multifidus, Purch. C.B., N.S., N.B., and oust. (M. 7.)
- 5. ambiguns, hokon. S. Ow. (M.) -
- b. Flammela, h., vor. replans, E. Meyer. N.S., N.B. and w. (M.F.)
- 7. Jusillus, Poir.
- ? rhombrides, bothe. hear montreal (M.) V. abortives, L. Newf. to a. olin. (M.)

vor. microushes, Evay. N. S. to g. o out. (U.)

- g. accleratus, h. N. B. of aspi tour. (M. 7.)
- 10. recerovatus, Poir. Lab. to. N.S. + O.A. (M.)
- 11. fascicularis, Muche. Out. (M.)
- 12. explantrionalis, Poir. suf. + hape to out. (M.)

rypus, L. g. (M)

13. Penneytranicus, L. J. N.S. o Gaspé to Own (M.)

Rammentus bulbozus, L. N.S., out. (M.)

acris, h. sug. t q. + our. (M. 7.)

7. Caltha palustris, L. N. S. and antic trout. (M. 7.)

V. Trollins Laxus, Salisb. "Mrs. of Caribo" (M.)

q. Cophis trifolia, Salisb. Lation . to Com. (M. 7.)

Helleborn viridis, L.

10. Agnily ia Canadensis, L. N.S. to Q. o Ont. (M. 7.)

Vulyaris, L. N.S. to q. (M. 7.)

balphinium Consolida, L. Out. (M.)

11. Aconitum Noveboracus, Gray.

uncinatum, L.


12. Cimicifuça racemoza, Sutt. S. W. Dut. (hac.)

13. Actaia d. spicula, L., var. rubra, Ait. N.S+n. B. to Out (M.7:)

2. alba, Biget. Nr. S. vannice to out IM. 7.5

14. Hydrashis Canadensis. "Own. (M.)

15. Xan Morshija apiijolia, Marsh.



1-Magnotia glanca, L.

2. acuminata, L.

2. Liriodendrom Tulipifera, L. S. W. Out. (M.)

3. Anonaceae.

1. Asimina Iriloba, Sunal, Nahong L. Eric. (U.)

4. Denispernaceae.

1. Menispromum Canadense, L. Mont. to Ont. (M.)

1. Berberis vulgaris, L. Auf. and N.B. t. out. (M. 7.)

2. Caulophy Hum Malichwides, Mx. N.B. to Q. and Dut. (M. 7.)

3. Jeffersonia diphylla, Pers. S.w. our. (M.)_

4. Podophyllum pelharum, L. hear Mont., Out. (M)-

6. Symphacaceae.

1. Brasenia pelhata, Pursh. M.S. on. B. t. Out. (M. 7.) -

2. Adumbo hopea, Pers. Haldimand Co, Out. (M)

3. Symphata oforcha, Ait. N.S. ON. B. took (M. 7.). -

Mynyman (2.1 reniformis, DC. 2.02+.0 snie (11).4. Mymar (1) advana, Ait. J. Mus. and Lab. t. Ont. (M.71)
var. minus, Morny. OHawa R.(M.)

(2.) Kalmianum, Ait. New n. M. t. out. (M. 71)

7. Sarracenia purpurea, L. Lus. o muj. t. ont. (M.7.)

8. Papavira cat.
1. Sanguinaria Canadusis, L. N.S. T.N. B. L ont. (M. 7.)

Chelidonium majus, L. N. V. tout. (M. 7.)

Glancium hoheum, Scop.

Paparer somiferm, L. F.B. tout. (M.7.)
dubium, L.
Khaias, L. OHava (M).

Arquinon My Licena, L.

1. Adlumia cirrhosa, Raj. Temisconate, 18. [141

2. Dientrallania, DC. N.S. + N. V. to Ont. (M. F.)

(2) Canadensis, DC. N.S., g. + Out. (M.)

Grimma (3) eximia, DC.

3. Conjulis (1) glanca, Pursh. N.S, G. + Os. F. (M.)

(2) auria, milis. 2 9. to or. 1. (M.)

Fumaria officinalis, L. N. V., R. cont. (M. 7.)

10. Cruciferae.

(2) laciniata, Muhl, S. q. t. ont. (M.) .-

(3.) maxima, Mutt.

2. Cardamine (1/ thomboridea, Dt. N.S., out: [M.)

var. Junjurea, Torr. Branhamois Co., Q., and Unt- (U.)

(2) rohmdistia, My. Art. (An)

31 bellitifolia, L.

(4) pratursis, L. Lob. to N. B. + Out. (M. 7)

(5) himsula, L. N.S. west + work. (M.)-

3. Arabis (1) hirenta, Sup. Paspe o h. 13. t out. (M. 7.)

(2) lainigater, Poir abon ander, our . [M.]

Arabis (i) Canadensis, E. Mr. (M.)

(4) perfoliosa, lam. neur montred tout. (M.)

(5) confine, wason. Gaspé - anticosti; N.N.B. (M.F.)

(6) Lyrara, L. Estont: (M.)

(7) dentata, 7.09.

(8) alpina, L. Lab. to Gaspi (M).

4. Draba (1) incana, L. Lab. E M.M.

var. arabisans, hatson. P. anhi or lower (+. L. (M.)

(2). Caroliniana, halt. Hastings Co., Ort. (m.)

(3) androsacea, Warl. Esuspi (M.)

141 nemoroza, L. "hew humed" (M.)

Alyxum calycinum, L. DW. [M.)

maritimum, h.

mor tanun

Camelina Rativa, Crantz. N.S. Ent. (M.)

? Cochhavia tribachphins, Banks. Lab. antiospi (M.)

I Chagrande archie, W. - anticosti (M.)

5. Subularia agratica, L.

6. Nasturtium officinal, R. Hr. N.S. O out. (M.)

sylvestor, R. Bm.

(1) palustre, Dt. N.B. og. to out. (M. 7.)

(2) Lacustre, Gray. near humbred, and Dut. (M.)

(3) amphibium, R. Hr. Easpe to Ont.

Armoracia, Fires. Q. and Ont-(M.)

Barbarca vulgaris, R. Hr. N. S. + n. N. E out. (M. 7.)

pracop, R. Hr.

7+esperis matronalis, 2. hommed, out. (M.)

7. Enjaimum Hasperum, &C.

(2) cheiranthordes, L. Mr. (M.)

oriculate, R. Mr.

8. Signbrium humile, Mayer.

(2) carescus, Mitt. Near monther "var." (M.), -

Softie, h. Rospi to Our. (M.)

Sisymbrium officinale, Scop. om. (m.)

Thatiana, Prand. melland, Out. (M.)

Brassica Sina pistrum, Boics, N.B. to Dut. (M.)

alba, Gray. N.B., Q, + out. (M.7.)

nigna, Koch. N.S. Fragi tow. (M. 7.)

Capsella Brussa-pastoris, Moench. om. (m.)

Theaspi arvense, L. g. row. [M.]

9. Lepidium Wirginiam, L. gub. to nr. (M.

(2) intermedium, hray. our. (M.)

ruderale, L. N.S., N.B., out. (M.F.)

campestre, R. Mr. S.W. Ont. (M.)

Braba, L. Simon, out. (all.)

sahirim, L. Gaspi (M.)

Senetiera D'Lyma, Pers. N.W. Flagi (M.)

Coronopus, Dr. N. M. T. Crayle (M)

10. Cakile americana, butt. Shows & bracher (M.)

Rayham Raphanistrum, 2. N.S., N.B., Ont. [M.)

11. Capparidacear.

1. Polamina graviolens, Raj-. hum mont. E Out. [M.1

12. Residacião

Resida Lutista, L.

lutea, L.

1. Helianthemm Canadense, Mp. Nour. [M.]

2. Hudeonia (1) Evicorides, L. Halifug N.S. (M.)

(2) tomentoze, Mitt. N.S. Jn. S. to Out. (M.)

3. Lichea 11 major, Mx. Our. Un)

(2) thymitolia, Myc. N. M. (M. 7.)

(3) minor, h. N. B. t q. + Ont. (M.)

var. maritim a fray.

(4) tunitolia, My.

(5) racemulosa, lans,

1. Vida (1) pedata, h.

var. Licolor, Punh.

(2) palmata, L.

var. cucullata, Gray.

- (3) sagittata, Ait.
- (4) Selkinkii, Pursh.
- (i) palustris L. odorata, L.
- (b) blanda, mills.

vor. palustriformis, lorzy.

- (7) primedantoria, L.
- (4) Lancistata, L.
- (9) rohuditalia, Mx.
- (10) pubescens, Ait.
- (11) Canadensis, L.
- (12) stricta, Ait.

Viola (13) rostraba, Pursh.

(14) carrina, L.

Tricolor, L., var.

2. Solia concolor, Ging. Out. (M.)

15. Caryophyllaceae.

Dian Mus armeria, L.

deltvika, L.

bastatus, h.

Cappedphila murstis, L.

Saponaria officialis, h.

Vaccaria, 1.

1. Silene (1) acourtis, L.

(2) shellata, Ait.

ancesbalus, Wibel.

(3) Penneybonica, My.

(4) Virginia, L.

Silene (5) autirthina, 2.

Armeria, h.

nochiffora, L.

2. Lychnis (1) alfina, L.

(2) affinis, Vahl.

respective, libth.

diema, sitch.

Bithayo, lam.

Hor-enculi, L.

3. Amuria enpyllifetia, 2.

(1) Caroliniana, Walt.

(2.) Michangii, Hook. J.

(3) verna, h.

(4) Groundantica, Spring.

(5) latiniflora, L.

(6) puploides, L.

Amaria (7) arctica, Stev.

4. Stellaria media, Smith.

- (1) longitatia, Muhl.
- (2) Eongipus, Protorie.

granzina, L.

- (3) esticinosa, Mum.
- (4) borealis, Brig.
- (5:) humifusa, Rotto.
- (6.) crassifolia, Elich.

F. Corastium viscoum, L.

vulgatum, h.

- (1) alpinum, L.
- (4 mutans, Ruf.
- (3) arnense, 2.

var. Alongifolium, Holl. & Milt.

(4) migymum Vill.

b. Sagina (11 procumbers, 2.

(2) aprilala, l.

Sugina (3) december, 784.

(4) notoza, Frugt.

7. Buda (1) rubra, Dumost.

(2) marina Dumort.

(1) borealis, Warron.

Spergula arvenis, L.

16. Portulacaceae.

Portulaca olinacia, 2.

grandifora, Hook.

1. Claytonia 111 Vincinia, 2.

(2) Caroliniana, Michy,

2. Montia fontana, h. 17. Elatinacca.

1. Elarine Americana, Am.

14. Hypricacia.

1. Aseyoun 11 chans, Michx.

(2) Cryenandria, h.

- 2. Hyperium 11 Azeron, L.
 - (2) Kamianum, L.
 - (3) at pressure, Bask.
 - (4) Elliphium, Hork.

perforahum, L.

- (5) maculatum, Halt.
- (b) murilum, L.
- (7) Canadem, h.
- (8) mudicante, well.
- 3. Elodes campanulata, Persh.

19. Malvaceae.

Alphara oficinalis, h.

Malva vorneditolia, 2.

anhytris, L.

erisha, h.

mozeleta, h,

Alexa, h.

Sida aprinosa, h.

Abutilon Aviumai, Cartu.

- 1. Kosteletykya Virginica, Gray.
- 2. Hibiseus (1) Morchenton, 2.

Trionum, h.

Syriams, h.

20. Tiliaceae.

1. Tilia (1) Americana, 2.

(2) publicens, Ait.

21. Linaceae.

1. Limm (11 Virginiamm, h.

(2) stricture, walk.

(3) sulcatum, Riddell.

usitatissimm, 1.

22. Geraniacia.

1. Geranium 11 maculatum, 2.

- (2) Robertianum, 2.
- (3) Carolinianum, L.

pusilum, h.

dissectum, 2.

Columbinum, L.

Erodium Ciculatium, L'Her.

2. Florace proserfinacoides, Mills.

3. Oxalis "autorella, L.

12/vilana, L.

(3) comiculata, h.

4. Impations (1) pallida, Mit.

(2) fulra, Mutt.

23. Rutaciai.

1. Kanthoxylum americanum, Mill.

2. Philea trifoliata, h.

24. Shicinea.

1. Alex (1) opaca, Ait.

(2) montieda, Gray.

(3) verheilleta, Gray.

(4) Lainigara, Gray.

(5.) glabra, Erray.

2. Neuropanthes fascientaris, Raf.

25. Celastraceae.

1. Celastrus acandons, L.

2. Eurymus Ol atropuspureus, garg.

(2) Americanus, L.

26. Khammaceac.

1. Rhammes aluitolia, L'Her.

cathartica, h.

2. Ceanothers (1) Americanus, La

(2) arabus, Irsf.

2). Vitaciai.

1. Vitis & Labourea, L.

(2) aestivalis, Midy.

(3) cordifolia, Midyo.

(4) riparia, Michy.

2. Ampelopsis quinquefolia, Michy.

28. Sapindaceae.

1. Leer (1) Punnylvanicum, L.

(2) spicatum, Lam.

(3) aucharinum, Wang.

vor. nigrum, 7,14.

aldanycarpun, Shoh.

(5) rubrum, h.

(2) Negundo auroides, Mounds.

3. Staphylea Fifolia, h.

29. Anacardiaceae.

- 1. Rhus (1) Typhina, L.
 - (2) glabra, h.
 - (3) copallina, L.
 - (4) venenata, DZ.
 - (6) Toxicodustron, L.
 - 6. Canadensis, March.

1. Polygala (1) hanci flora, will).

- (2) polygama, walt.
- (3) Seniga, L.
- (4) sangrinea, L.
- (5) Australlin 7.04.
- (b) cruciata, L.
- (7) bruitaia, Mult.
- (4) verticillars, L.

1. Baptisia tinctoria, R. Hr.

2. Costalaria eagittalis, L.

Genista tinctoria, L.

3. Lupinus perennis, 2.

4. mifolium arvense, 2.

prateuse, L.

medium, L.

(1) reflexum, 2.

(4) Adoniform, Mill.

hybridum, h.

agrarium, L.

procumbens, L.

Melistus officinalis, will.

alba, Lam.

Undicago sativa, h.

Impulina, h.

Medicajo maculata, milid.

dentienter, will.

J. Tophovsia Virginiana, Pers.

Robinia Paendacacia, L.

6. Astragalus (1) Canadensis, L.

(2) alpinus, L.

(3) Robbinsii, Erray.

(4) Cooperi, Erray.

7. Oxytrojis campustris, DC., vor.

? Glycymiza lepidos, Mut.

Coronilla varia, h.

51 Hedyparum borrale, Mitt.

9. Desmodium (mudiflorum, De.

(2) acuminatum, DE.

(3) panciflom, dr.

(4) rohmbifolium, de.

vor. glabrahum, hos

Desmodium .-) comescens, De.

- (b) enspidatum, 7.7h.
- (7) vin Niflorum, Beck.
- (4) Dillenii, Darling.
- (9) paniedom, H.
- (10) Canaduse, de.
- (11) ricidum, de.
- (12) cilian, Dr.
- (13) Marilandin 7. Boott.

10. lespedaya (1) proumbins, Mx.

- a vidacia, Pin.
- (3) reticulata, Piss.
- (4) Sturei, Mutt.

var. intermedia wohon.

- (5) polystachya, Mg.
- (b) capitata, Mp.

11. Stylozauthes elation, Swarty.

12. Vicia ration, 2.

tetrasperma, h.

hirzuta, Koch.

(1) Cracca, L.

(2) Caroliniana, Walk.

(3) Americana, Muhl.

13. Lathyous (1) maritimes, Bigel.

(2) ochrolenens, Hook.

(3) palustris, h.

vor. mytitolius, hay.

prateusis, h.

14. Aprios Puberoza Monch.

15. Masedus perumis, walt.

16. Strophostyles [1] angulosa, EM.

(2) pedementaris, EM.

7. Clitoria Mariana, 2.

14. Amphicarpain (1) monories, Mut.

(2) Pitcheri, 7, 49.

19. Galactia grabella, My.

20. Cencis Canadensis, h.

21. Cassia (1) Marilandica, L.

(2) Chamaorists, h.

(3) nichitans, L.

22. Grymnocladus Canaduris, Lam.

23. Gleditschia trincantho, h.

32. Rosaceai.

1. Prumus (1) Americana, Marsh.

(2) maritima, Wang.

(2) framila, h.

(4) Pennsylvanica, L.

H opinoza, L.

Pourus () Vivymiana, L.

(b) endina Shoh.

2. Spiraia (1) adicifolia, L.

(2) Tomentoza, h.

(3) Armous, h.

3. Physocarpus spulitations, Maxim.

4. Gillia (1) trifoliara, Mount.

(2) Dipulacia, Mutt.

J. Rubus (10 odorahus, L.

(2) Chamaimorus, L.

(3) archius, L.

141 hiploms, Rich.

(5) strigosus, My.

(b) ozcidentalis, L.

(71 villosus, Ait.

(4) Canaduris, L.

Rubus (9) hispians, L.

(10) amei folius, Pursh.

b. talibarte rypus, L.

7. Erenn Calbum, Grul.

(2) Virginianum, 2.

(3) macro Whyllim, mills.

(4) strictum, Ait.

(5) rivale, h.

(b) triftone, Punh.

7. radahum, Mx., var. Peckie, hr.

8. Injus "actoputala, L.

(4 Drummondi, Hook.

q. wardsteinia fragariorides, Tratt.

10. Fragaria (1) Virginiana, Min.

(21 resca, h.

11. Potentilla () arqueta, Pursh.

(2) Norvegica, L.

(3) Pennsylvanica, h.

(4) argusta, L.

(o) fricida, vin.

(6) supina, L.

pilosa, mills

()) ratustis, Scop.

(4) fruticosa, L.

(9) Friduksky Ail-.

(10) ansuma, L.

(11) Canadensis, L.

(12) nemoralis, Nestl.

12.5 ibbaldia procumbus, h.

13. Agrimonia (1) Enpatoria, L.

(2) harriftors, Ait.

14. Pohnim Canadense, 18+1+.
Sangniorba, L.

15. Rosa 11 blanda, Ait.

- (2) Carolina, L.
- (3) Lucida, Shoh.
- (4) humilis, Marsh.
- (5) mitida, mills.

ndriginosa, L.

16. Pyrus (1) tationaria, L.

(2) arbut folia, h. f.

- (3) Americana, DL.
- (4) cambucitolia, C.os.

malus, L.

17. Grahaigus

.

,

